



HYCU for Atlassian Confluence

R-Cloud Module Guide

Table of Contents

About the module.....	3
Prerequisites.....	3
Limitations	3
Protecting data.....	4
Backing up data	4
Restoring data	4

Copyright notice

© 2024 HYCU. All rights reserved.

This document contains proprietary information, which is protected by copyright. No part of this document may be photocopied, reproduced, distributed, transmitted, stored in a retrieval system, modified or translated to another language in any form by any means, without the prior written consent of HYCU.

About the module

The R-Cloud (formerly HYCU Protégé) module for Atlassian Confluence enables you to protect the data in your company's Confluence collaboration environment.

Prerequisites

Before you add the module to R-Cloud, make sure your Confluence environment fulfills the following requirements:

- The Atlassian user or service account must be granted the site admin privileges.
- The API token for the Atlassian account is required.
- The organization name must be included in the domain name of your Atlassian instance URL.

Example

In the Atlassian instance URL `https://test.atlassian.net/`, "test" is the name of your organization.

Limitations

- The created or modified timestamps are not preserved during the restore. Timestamps are recreated.
- The object IDs are changed during the restore because they are recreated.
- The provided API token will be used to recreate the resources. Hence, the original author information will not be retained.
- Setting up automatic policy assignment with labels or tags is not supported.
- Only the active version of a page or a blog post can be backed up. The configured backup frequency and the resulting restore points define which pages and blog posts can be restored.

Protecting data

R-Cloud starts protecting the content of your Confluence once you add the module as a source.

For details on how to add the module as a source, see *HYCU R-Cloud Help*.

Backing up data


After configuring the Confluence instance as a source in R-Cloud, all the spaces are auto discovered. You can select which spaces should be protected.

For details on how to configure backups for your Confluence content, see *HYCU R-Cloud Help*.

Restoring data

R-Cloud allows you to restore the protected Confluence content at the following levels:

- Space
- Page
- Blogpost
- Attachment

 **Note** When restoring your Confluence data, all hierarchical relations between the content items are preserved at all levels.

For details on how to configure the restore for your Confluence content, see *HYCU R-Cloud Help*.

Provide feedback

For any suggestions and comments regarding this product or its documentation, send us an e-mail to:

info@hycu.com

We will be glad to hear from you!

