



HYCU for Typeform

R-Cloud Module Guide

Table of Contents

About the module.....	3
Prerequisites.....	3
Limitations	3
Recommendations	3
Protecting data.....	4
Backup.....	4
Restore	4

Copyright notice

© 2024 HYCU. All rights reserved.

This document contains proprietary information, which is protected by copyright. No part of this document may be photocopied, reproduced, distributed, transmitted, stored in a retrieval system, modified or translated to another language in any form by any means, without the prior written consent of HYCU.

About the module

The R-Cloud (formerly HYCU Protégé) module for Typeform enables you to protect your organization's forms, surveys, questionnaires, and other data.

Prerequisites

Before you add the module to R-Cloud as a source, make sure your Typeform environment fulfills the following requirements:

- A personal token with all scopes (full access to read and write) is required for the Typeform account (the owner).
- The Typeform account ID is required.

Example

Typeform URL:

<https://admin.typeform.com/accounts/00000000AAAAAAA111111BBB BB/workspaces/ABCDE>

In this example, the account ID is 00000000AAAAAAA111111BBBBB.

Limitations

When adding the module to R-Cloud and protecting the related SaaS application, the following limitations apply:

- Integrations cannot be backed up and restored.
- Responses cannot be restored due to API limitations.

Recommendations

- Use an access token with full access to read and write.
- Create a personal access token from the owner account only.
- Use the account ID from the Typeform URL that belongs to the owner account only.

Protecting data

R-Cloud starts protecting your Typeform data after you add the module to R-Cloud as a source and assign a policy to the related SaaS application.

For details on how to add the module to R-Cloud and assign a policy to the related SaaS application, see *HYCU R-Cloud Help*.


Backing up

For details on how to back up your Typeform data, see *HYCU R-Cloud Help*.

Restoring

R-Cloud allows you to restore your protected Typeform data at the following levels:

- Workspaces
- Forms
- Images
- Webhooks
- Themes

 **Note** When restoring your Typeform data, all hierarchical relations among the content items are preserved at all levels.

For details on how to restore your Typeform data, see *HYCU R-Cloud Help*.

Provide feedback

For any suggestions and comments regarding this product or its documentation, send us an e-mail to:

info@hycu.com

We will be glad to hear from you!

